

**Figure 1:**

	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>
Favourable (SCM)	67.2	0	68.1	67.3	66	66.9	65.6
Unfavourable Recovering (SCM)	4.2	0	4.2	4.2	4.9	5.5	6
Unfavourable Recovering (Management Change)	0	0	2.7	6	7.5	5.6	5.6

**Figure 2:**

<b>Pressure</b>	<b>Proportion of Pressures</b>
Trampling	1.4
Dumping/storage of materials	1.7
Game/fisheries management	2.6
Factors Beyond Local Control	2.7
Natural event	2.8
Forestry operations	2.9
Water quality	3.2
No Proactive Management	3.7
Agricultural operations	4.9
Water management	4.9
Burning	5.3
Recreation/disturbance	6.4
Grazing - under	6.5
Invasive species	17.6
Grazing - over	22.2

Natural Feature Type	Number of Features	Proportion Favourable (%)
<b>Habitats</b>		
Coastal	331	85.5%
Freshwater	217	79.3%
Geological	607	95.4%
Grasslands	211	59.2%
Heath	378	63.8%
Marine	96	99.0%
Upland	311	79.4%
Wetland	336	76.8%
Woodlands	481	66.7%
<b>Species</b>		
Amphibians	12	83.3%
Birds	1468	73.1%
Butterflies	24	95.8%
Dragonflies	25	96.0%
Fish	46	84.8%
Invertebrates	160	85.0%
Marine Mammals	27	85.2%
Non-vascular Plants	128	77.3%
Terrestrial Mammals	50	96.0%
Vascular Plants	138	65.9%
<b>Earth Science</b>		
Earth Science	597	97.0%

Natural Feature Type	Number of Features	Proportion Favourable
Earth sciences	597	97.0%
Habitats	2361	73.8%
Species	2078	75.4%
All Feature Types	5036	77.2%