

## Data Points used to generate the Index of Abundance for Scottish Terrestrial Breeding Birds, 1994-2009

	all species smoothed	all species unsmoothed	upland smoothed	upland unsmoothed	farmland smoothed	farmland unsmoothed	woodland smoothed	Woodland unsmoothed
<b>1994</b>	100	100	100	100	100	100	100	100
<b>1995</b>	104.5	107.9	101.5	106.8	101.1	102.5	109.5	103.7
<b>1996</b>	108.2	102.3	102.2	104.1	102.3	95.2	118.4	111.0
<b>1997</b>	111.9	111.3	102.4	103.1	104.0	104.2	126.3	131.2
<b>1998</b>	115.0	119.1	101.8	112.6	105.9	107.6	131.8	134.4
<b>1999</b>	117.0	115.6	100.5	95.6	107.5	102.5	135.0	129.1
<b>2000</b>	118.2	120.4	99.2	104.0	109.1	112.4	137.0	135.4
<b>2001</b>	119.1	119.2	98.2	100.2	110.4	109.8	138.8	136.7
<b>2002</b>	120.1	116.7	97.8	95.6	111.7	106.6	140.9	135.4
<b>2003</b>	121.3	122.9	98.0	101.5	113.2	114.8	143.6	139.4
<b>2004</b>	122.4	123.7	98.1	105.1	114.7	112.4	146.4	150.7
<b>2005</b>	123.1	126.6	97.8	96.7	116.2	117.5	148.1	152.9
<b>2006</b>	123.5	118.1	97.8	98.0	118.0	113.1	148.7	135.4
<b>2007</b>	123.9	126.2	98.0	103.0	120.2	118.9	149.0	149.5
<b>2008</b>	123.8	129.0	98.1	100.0	122.6	124.8	147.8	158.1
<b>2009</b>	122.7	120.1	97.8	99.9	124.7	122.3	144.3	135.5

Details for the methods used to calculate the indices (smoothed and unsmoothed) can be found here:

[www.bto.org/birdtrends2010/methodology.htm](http://www.bto.org/birdtrends2010/methodology.htm)

To view the Official Statistic for Terrestrial Breeding Birds please visit:

[www.snh.gov.uk/publications-data-and-research/official-statistics/official-stats/terrestrial-breeding-birds](http://www.snh.gov.uk/publications-data-and-research/official-statistics/official-stats/terrestrial-breeding-birds)

